

POLI-TRANS® 330 LASER DARK A4 331 LASER DARK A3

GENERAL USE

LASER DARK can be used in most laser printers and colour copiers. Produce high resolution transfers for application to dark coloured textiles. Transfers can be applied to cotton, polyester and poly/cotton textiles. Easy to apply on T-shirts, polo shirts, caps etc.

Always single sheet feed transfer papers and print on blank side. Can also be contour cut using a vinyl cutter. For oil based and oil free laser printers and copiers. Store in a dry and warm area and keep in original packaging.

PRINTER SETTINGS

Set paper settings to heavy or card and use bypass. Settings on laser copiers and printers vary, therefore we recommend producing a test print first.

APPLICATION

Print selected image on the blank side of the transfer paper, do not mirror image. Trim around the design with scissors and then remove backing paper. Pre-heat T-shirt to remove moisture - 3 to 4 seconds. Position design on T-shirt. Always cover the transfer with silicone paper during heat press application.

- Press at 180 °C (355 Fahrenheit)
- Time 25 sec.
- Medium to heavy pressure
- Remove textile from heat press and when cool remove release (silicone) paper

WASHING

- Textiles should be machine washed inside out up to 40 degrees
- Do not tumble dry, dry clean or iron directly over transfer

All information given is for guidance purposes only. Many different factors are involved in producing transfers, therefore we recommend customers to perform their own tests. These instructions are not legally binding. Information given is subject to change without notice.